## BAIL



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TBL/S-01 (7.60x2.6x1.6)** | 7.60x2.6x1.6 | **0.116** |
| **TBL/S-02 (7.00x5.0x3.0)** | 7.00x5.0x3.0 | **0.107** |

## BROOCH STEM



**TBS-0.9x30**



**TBS-1.0x30x30**

| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TBS-0.7x16** | 0.70x16.00 | **0.123** |
| **TBS-0.7x28** | 0.70x28.00 | **0.168** |
| **TBS-0.7x30** | 0.70x30.00 | **0.184** |
| **TBS-0.7x35** | 0.70x35.00 | **0.214** |
| **TBS-0.7x40** | 0.70x40.00 | **0.235** |
| **TBS-0.9x16** | 0.90x16.00 | **0.203** |
| **TBS-0.9x28** | 0.90x28.00 | **0.314** |
| **TBS-0.9x30** | 0.90x30.00 | **0.281** |
| **TBS-0.9x35** | 0.90x35.00 | **0.341** |
| **TBS-0.9x40** | 0.90x40.00 | **0.370** |
| **TBS-1.0x30x30** | 1.00x30x30 | **0.672** |

## BUTTERFLY



**TBF-01** **TBF-02** **TBF-03** **TBF-04**



**TBF-06** **TBF-07**

**IBF-2.9x5.0mm-H0.9 (925)**
**IBF-3.25x6.8mm-H0.9 (925)**
**IBF-4.0x5.0mm-H0.8 (925)**
**IBF-5.0x6.0mm-H0.8 (925)**
**IBF-6.0x7.0mm-H0.8 (925)**
**IBF-3.0x6.0mm-H0.9 (925**

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **IBF-2.9x5.0mm-H0.9 (925)** | 2.9x5.0 | **0.228** |
| **IBF-3.0x6.0mm-H0.9 (925)** | 3.0x6.0 | **0.290** |
| **IBF-3.25x6.8mm-H0.9 (925)** | 3.25x6.8 | **0.354** |
| **IBF-4.0x5.0mm-H0.8 (925)** | 4.0x5.0 | **0.167** |
| **IBF-5.0x6.0mm-H0.8 (925)** | 5.0x6.0 | **0.241** |
| **IBF-6.0x7.0mm-H0.8 (925)** | 6.0x7.0 | **0.360** |
| **TBF-01** | | **0.249** |
| **TBF-01 ([Logo])** | | **0.249** |
| **TBF-02** | | **0.180** |
| **TBF-03** | | **0.262** |
| **TBF-03 (no 925 stamp)** | | **0.267** |
| **TBF-04** | | **0.817** |
| **TBF-06** | | **0.360** |
| **TBF-07** | | **0.136** |

## CAP WITH LINK CLOSED



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TC/LC-3.5** | 3.50 | **0.124** |

## CAP WITH LINK OPEN



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TC/LO-3.5** | 3.50 | **0.125** |

## CAP WITH WIRE CLOSED



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TC/WC-3.5** | 3.50 | **0.140** |

## CATCH FOR BROOCH



TCB-01



TCB-01 (core)



TCB-04



TCB-04 (core)

| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TCB-01** | | **0.325** |
| **TCB-01 (core)** | | **0.089** |
| **TCB-04** | | **0.187** |
| **TCB-04 (core)** | | **0.051** |

## CHAIN CAP



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TCC-01** | | **0.099** |
| **TCC-02** | | **0.299** |

## CHAIN CAP FLAT SOLDERED



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ICCF/S-01.0mm** | 1.00 | **0.037** |
| **ICCF/S-01.5mm** | 1.50 | **0.046** |
| **ICCF/S-02.0mm** | 2.00 | **0.067** |
| **ICCF/S-02.5mm** | 2.50 | **0.089** |



*For samples or more details, please contact us.*

## CHAIN CAP FLAT SOLDERED



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ICCF/S-03.0mm** | 3.00 | **0.110** |
| **ICCF/S-03.5mm** | 3.50 | **0.113** |
| **ICCF/S-04.0mm** | 4.00 | **0.147** |
| **ICCF/S-05.0mm** | 5.00 | **0.214** |
| **ICCF/S-06.0mm** | 6.00 | **0.270** |
| **ICCF/S-07.0mm** | 7.00 | **0.330** |
| **ICCF/S-08.0mm** | 8.00 | **0.391** |
| **ICCF/S-10.0mm** | 10.00 | **0.500** |

## CHAIN CAP ROUND SOLDERED



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ICCR/S-01.0mm** | 1.00 | **0.043** |
| **ICCR/S-01.5mm** | 1.50 | **0.082** |
| **ICCR/S-02.0mm** | 2.00 | **0.109** |
| **ICCR/S-02.5mm** | 2.50 | **0.130** |
| **ICCR/S-03.0mm** | 3.00 | **0.180** |
| **ICCR/S-03.5mm** | 3.50 | **0.207** |
| **ICCR/S-04.0mm** | 4.00 | **0.295** |
| **ICCR/S-05.0mm** | 5.00 | **0.360** |

## CHAIN CAP TUBOLAR



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TCCT-01** | 4.5x20.0 | **0.024** |

## CHAIN JOINT



TCJ-02.0mm



TCJ-03.0mm



TCJ-04.0mm



TCJ-06.0mm

| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TCJ-02.0mm** | 2.00 | **0.130** |
| **TCJ-03.0mm** | 3.00 | **0.329** |
| **TCJ-04.0mm** | 4.00 | **0.584** |
| **TCJ-06.0mm** | 6.00 | **1.593** |

*For samples or more details, please contact us.*

## CHAIN TAG




| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TCT-01** | | **0.065** |
| **TCT-02** | | **0.091** |
| **TCT-03** | | **0.144** |
| **TCT-04** | | **0.079** |
| **TCT-05** | | **0.543** |
| **TCT-06** | | **0.173** |
| **TCT-07** | | **0.272** |
| **TCT-08** | | **0.556** |
| **TCT-09** | | **0.941** |
| **TCT-09 ([Logo])** | | **0.920** |

## CLASP



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TC-01** | | **0.435** |

## CLASP SNAP



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TC-01 Snap** | | **0.159** |



*For samples or more details, please contact us.*

## EAR CLIP




| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEC-01 Base** | | **0.501** |
| **TEC-01 Top** | | **0.889** |
| **TEC-02 Base** | | **0.930** |
| **TEC-02 Top** | | **1.367** |
| **TEC-03 Base** | | **0.930** |
| **TEC-03 Top** | | **1.727** |
| **TEC-04 Base** | | **0.744** |
| **TEC-04 Top** | | **1.635** |
| **TEC-05 Base** | | **0.744** |
| **TEC-05 Top** | | **1.630** |

## EAR CLIP OMEGA



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TECO-12.0mm** | 12.00 | **0.478** |
| **TECO-14.0mm** | 14.00 | **0.808** |
| **TECO-16.0mm** | 16.00 | **0.912** |
| **TECO-18.0mm** | 18.00 | **1.023** |
| **TECO-20.0mm** | 20.00 | **1.121** |

## EAR CLIP OMEGA BASE




| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TECOB-1** (for 12.0mm and 14.0mm) | | **0.613** |
| **TECOB-2** (for 16.0mm, 18.0mm and 20.00mm) | | **0.584** |
| **TECOB-3** (for 16.0mm, 18.0mm and 20.00mm) | | **0.652** |
| **TECOB-4** (for 12.0mm and 14.00mm) | | **0.474** |

## EAR CLIP RUBBER



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TECRN-04** | | |
| (For TEC-04) | | |



*For samples or more details, please contact us.*

## EAR CLIP WITH SPRING



TEC/S Top 01



TEC/S Base 02



TEC/S Base 01

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEC/S Base 01** | | **0.169** |
| **TEC/S Base 02** | | **0.159** |
| **TEC/S Top 01** | | **0.559** |

## EAR CLUTCH



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEC** | | **0.545** |

## EAR HOOP'S STEM



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEHS/2-13.0mm** | 13.00 | **0.374** |
| **TEHS-11.0mm** | 11.00 | **0.170** |
| **TEHS-13.0mm** | 13.00 | **0.177** |
| **TEHS-15.0mm** | 15.00 | **0.199** |

## EAR HOOP'S STEM BASE



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEHSB** | | **0.111** |



*For samples or more details, please contact us.*

## EAR HOOP'S STEM LOCK



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEHSL** | | **0.056** |
| **TEHSL/2** | | **0.070** |

## EAR HOOP'S WIRE



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEHW-14.0mm** | 14.00 | **0.104** |

## EAR HOOP'S WIRE BASE



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEHWB** | | **0.112** |

## EAR HOOP'S WIRE LOCK



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEHWL** | | **0.056** |

## EAR POST




| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TTEP/1-811** | 0.80x11.00 | **0.113** |
| **TEP/1-911** | 0.90x11.00 | **0.143** |
| **TEP/2-111** | 1.00x11.00 | **0.173** |
| **TEP/2-711** | 0.70x11.00 | **0.089** |
| **TEP/2-910** | 0.90x10.00 | **0.128** |
| **TEP/2-910 (925)** | 0.90x10.00 | **0.130** |
| **TEP/2-911** | 0.90x11.00 | **0.143** |
| **TEP/2-911 (925)** | 0.90x11.00 | **0.142** |
| **TEP/2-911 ([Logo])** | 0.90x11.00 | **0.143** |
| **TEP/2-914** | 0.90x14.00 | **0.183** |



*For samples or more details, please contact us.*

## EAR POST BASE



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPB/2-811** | 0.80x11.00 | **0.127** |
| **TEPB/2-911** | 0.90x11.00 | **0.160** |

## EAR POST CUP RING



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPC4R/2-911** | 0.90x11.00 | **0.269** |

## EAR POST CUP RING FLAT



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPC4RF/2-911** | 0.90x11.00 | **0.266** |

## EAR POST CUP



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPC4/2-911** | 0.90x11.00 | **0.245** |

## EAR POST CUP WITH PIN



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPCP/3.0mm 2-714** | 0.70x14.00 | **0.166** |



*For samples or more details, please contact us.*

## EAR POST CUP WITH PIN



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPCP/2-911** | 0.90x11.00 | **0.285** |

## EAR POST CUP WITH PIN RING



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPCPR/2-911** | 0.90x11.00 | **0.307** |

## EAR POST CUP WITH PIN RING FLAT



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPCPRF/2-911** | 0.90x11.00 | **0.307** |

## EAR POST FLOWER



TEPF4/2-911 TEPF8/2-911

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPF4/2-911** | 0.90x11.00 | **0.220** |
| **TEPF8/2-911** | 0.90x11.00 | **0.546** |

## EAR POST FLOWER WITH PIN



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPF4P/2-911** | 0.90x11.00 | **0.255** |



*For samples or more details, please contact us.*

## EAR POST HAMMERED




| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEP/H2-711** | 0.70x11.00 | **0.087** |
| **TEP/H2-810** | 0.80x10.00 | **0.100** |
| **TEP/H2-810 (925)** | 0.80x10.00 | **0.102** |
| **TEP/H2-811** | 0.80x11.00 | **0.114** |
| **TEP/H2-811 (925)** | 0.80x11.00 | **0.114** |
| **TEP/H2-812** | 0.80x12.00 | **0.124** |
| **TEP/H2-812 (925)** | 0.80x12.00 | **0.126** |
| **TEP/H2-813** | 0.80x13.00 | **0.128** |
| **TEP/H2-813 (925)** | 0.80x13.00 | **0.129** |
| **TEP/H2-814** | 0.80x14.00 | **0.146** |
| **TEP/H2-910** | 0.90x10.00 | **0.129** |
| **TEP/H2-910 (925)** | 0.90x10.00 | **0.130** |
| **TEP/H2-911** | 0.90x11.00 | **0.143** |
| **TEP/H2-911 (925)** | 0.90x11.00 | **0.147** |
| **TEP/H2-914** | 0.90x14.00 | **0.180** |
| **TEP/H2-914 (925)** | 0.90x14.00 | **0.181** |
| **TEP/H2-1010** | 1.00x10.00 | **0.161** |
| **TEP/H2-1010 (925)** | 1.00x10.00 | **0.163** |
| **TEP/H2-1011** | 1.00x11.00 | **0.179** |
| **TEP/H2-1011 (925)** | 1.00x11.00 | **0.182** |
| **TEP/H2-1012** | 1.00x12.00 | **0.199** |
| **TEP/H2-1014** | 1.00x14.00 | **0.226** |
| **TEP/H2-1014 (925)** | 1.00x14.00 | **0.226** |

## EAR POST HAMMERED CUP WITH PIN



**TEPCP/3.0 H2-814**

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEPCP/3.0mm H2-814** | 0.80x14.00 | **0.185** |

## EAR WIRE



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEW-00** | | **0.385** |
| **TEW-00 (0.65)** | | **0.360** |
| **TEW-01** | | **0.439** |



*For samples or more details, please contact us.*

## EAR WIRE WITH CONE TIP



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TEW/CT-01** | | **0.378** |

## FISH HOOK



TFH/P-00 (925)

IMAGE COMING SOON

TFH/P-00 (925 flat)



TFH/P-03 (925)



TFH-00 (925 flat)



TFH-01 (925 flat)



TFH-02 (925 flat)



TFH-03 (925)



TFH-04



TFH-05



TFH-05 (925)



TFH-06



TFH-07



TFH-08



TFH-09



TFH-10



TFH-11



TFH-13 (925 flat)



TFH-14 (925 flat)



TFH-15



TFH-16 (925 flat)

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TFH/P-00 (925)** | | **0.266** |
| **TFH/P-00 (925 flat)** | | **0.266** |
| **TFH/P-03 (925)** | | **0.520** |
| **TFH-00 (925 flat)** | | **0.325** |
| **TFH-01 (925 flat)** | | **0.367** |
| **TFH-02 (925 flat)** | | **0.453** |
| **TFH-03 (925)** | | **0.641** |
| **TFH-04** | | **0.239** |
| **TFH-05** | | **0.444** |
| **TFH-05 (925)** | | **0.444** |
| **TFH-06** | | **0.403** |
| **TFH-07** | | **0.401** |
| **TFH-08** | | **0.496** |
| **TFH-09** | | **0.239** |
| **TFH-10** | | **0.385** |
| **TFH-11** | | **0.205** |
| **TFH-13 (925 flat)** | | **0.582** |
| **TFH-14 (925 flat)** | | **0.283** |
| **TFH-15** | | **0.378** |
| **TFH-16 (925 flat)** | | **0.315** |



*For samples or more details, please contact us.*

## FISH HOOK WITH BALL



TFHB-01 (925 flat)



TFHB-02 (925 flat)



TFHB-03

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TFHB-01 (925 flat)** | | **0.572** |
| **TFHB-02 (925 flat)** | | **0.477** |
| **TFHB-03** | | **0.684** |

## FISH HOOK WITH CUP




**TFHC-01 (925)**



**TFHC-02 (925)**

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TFHC-01 (925)** | | **0.504** |
| **TFHC-02 (925)** | | **0.504** |

## FISH HOOK RUBBER STOPPER



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TS/R-01 (3.20x3.35x0.8)** | | **0.055** |

## GRIP FASTENER



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TGF-01** | | **0.934** |

## GRIP FASTENER'S PIN



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TGFP-01** | | **0.126** |



*For samples or more details, please contact us.*

## JOINT FOR BROOCH



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TJB-01** | | **0.168** |

## JUMP RING



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TJR/O-03.0mm (0.60mm)** | 0.60x3.00 | **0.021** |
| **TJR/O-03.0mm (0.70mm)** | 0.70x3.00 | **0.029** |
| **TJR/O-03.5mm (0.75mm)** | 0.75x3.50 | **0.038** |
| **TJR/O-03.5mm (0.80mm)** | 0.80x3.50 | **0.044** |
| **TJR/O-03.7mm (0.80mm)** | 0.80x3.70 | **0.046** |
| **TJR/O-04.0mm (0.60mm)** | 0.60X4.00 | **0.032** |
| **TJR/O-04.0mm (0.85mm)** | 0.85x4.00 | **0.057** |
| **TJR/O-04.5mm (0.95mm)** | 0.95x4.50 | **0.082** |
| **TJR/O-05.0mm (0.70mm)** | 0.70x5.00 | **0.065** |
| **TJR/O-05.0mm (0.95mm)** | 0.95x5.00 | **0.092** |
| **TJR/O-05.5mm (0.80mm)** | 0.80x5.50 | **0.080** |
| **TJR/O-05.5mm (1.20mm)** | 1.20x5.50 | **0.158** |
| **TJR/O-06.0mm (0.80mm)** | 0.80x6.00 | **0.090** |
| **TJR/O-06.0mm (1.00mm)** | 1.00x6.00 | **0.128** |
| **TJR/O-06.5mm (0.80mm)** | 0.80x6.50 | **0.088** |
| **TJR/O-06.8mm (0.90mm)** | 0.90x6.80 | **0.130** |
| **TJR/O-07.0mm (1.00mm)** | 1.00x7.00 | **0.156** |
| **TJR/O-08.0mm (1.00mm)** | 1.00x8.00 | **0.181** |
| **TJR/O-11.0mm (0.90mm)** | 0.90x11.00 | **0.208** |
| **TJR/O-11.0mm (0.60mm)** | 0.60x11.00 | **0.100** |

## JUMP RING OVAL



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TJRO/O-04.0x05.2 (0.80mm)** | 0.8x4.0x5.2 | **0.084** |
| **TJRO/O-05.2x05.9 (0.80mm)** | 0.8x5.2x5.9 | **0.070** |



*For samples or more details, please contact us.*

## KEY RING



TKR/R 20.0mm



TKR/R 26.0mm



TKR/R 29.0mm

| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TKR/R-20.0mm** | 20.00 | **2.371** |
| **TKR/R-26.0mm** | 26.00 | **3.327** |
| **TKR/R-29.0mm** | 29.00 | **4.839** |

## KEY RING LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TKRL/R-28mm** | 28.00 | **5.900** |

## LEVER BACK DROP



TLBD/L-01



TLBD/L-01 (closed link)



TLBD/L-02

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBD/L-01** | | **0.784** |
| **TLBD/L-01 (closed link)** | | **0.784** |
| **TLBD/L-02** | | **1.209** |

## LEVER BACK FLOWER



TLBF-01



TLBF-02



TLBF/L



TLBF/L-01



TLBF/L-02



TLBF/L-03

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBF-01** | | **0.815** |
| **TLBF-02** | | **0.860** |
| **TLBF/L** | | **0.873** |
| **TLBF/L-01** | | **0.758** |
| **TLBF/L-02** | | **1.022** |
| **TLBF/L-03** | | **0.920** |

*For samples or more details, please contact us.*

## LEVER BACK LOOSE



TLBL-01 Base | TLBL-01 Top | TLBL-02 Base | TLBL-02 Top

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBL-01 Base** | | **0.084** |
| **TLBL-01 Top** | | **0.293** |
| **TLBL-02 Base** | | **0.121** |
| **TLBL-02 Top** | | **0.429** |

## LEVER BACK PLAIN



TLBP-01 | TLBP-02

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBP-01** | | **0.654** |
| **TLBP-02** | | **0.743** |

## LEVER BACK PLAIN LOOSE



TLBP-Lever

TLBP-Hook

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBP-Hook** | | **0.342** |
| **TLBP-Lever** | | **0.293** |
| **TLBP-Set** | | **0.661** |

## LEVER BACK PLAIN WITH BEAD



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBP/B-01** | | **1.586** |

## LEVER BACK PLAIN WITH CUP



TLBP/C-01 | TLBP/C-02

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBP/C-01 (4.0mm)** | | **0.763** |
| **TLBP/C-02 (4.0mm)** | | **0.813** |

## LEVER BACK PLAIN WITH LINK



TLBP/L-01 | TLBP/L-02 | TLBP/L-03

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBP/L-01** | | **0.670** |
| **TLBP/L-02** | | **0.719** |
| **TLBP/L-03** | | **0.689** |
| **ILBP-01** | | **0.650** |

*For samples or more details, please contact us.*

## LEVER BACK PLAIN WITH TUBE

IMAGE COMING SOON

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBP/T-01** | | **0.872** |

## LEVER BACK SQUARE (NO SPRING)

IMAGE COMING SOON

| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBS** | | **1.202** |

## LEVER BACK SQUARE WITH CUP (NO SPRING)



| ITEM CODE | SIZE (mm) | WEIGHT/PR (gm) |
|---|---|---|
| **TLBS/C** | | **1.238** |

## LOBSTER CLAW DOUBLE PUSH WITH LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCDP/WL-01 (4x13.5)** | 4.00x13.50 | **0.590** |
| **ILCDP/WL-02 (4.3x15.3)** | 4.30x15.30 | **0.890** |
| **ILCDP/WL-03 (5.2x16)** | 5.20x16.00 | **1.160** |

## LOBSTER CLAW DOUBLE PUSH WITHOUT LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCDP-01 (4x13.5)** | 4.00x13.50 | **0.510** |
| **ILCDP-02 (4.3x15.3)** | 4.30x15.30 | **0.780** |
| **ILCDP-03 (5.2x16)** | 5.20x16.00 | **1.090** |



*For samples or more details, please contact us.*

## LOBSTER CLAW NEW LIGHT PUSH WITH LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCNLP/WL-01 (6x10)** | 6.00x10.00 | **0.500** |
| **ILCNLP/WL-02 (7x11.9)** | 7.00x11.90 | **0.900** |

## LOBSTER CLAW NEW LIGHT PUSH WITHOUT LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCNLP-01 (6x10)** | 6.00x10.00 | **0.450** |
| **ILCNLP-02 (7x11.9)** | 7.00x11.90 | **0.770** |

## LOBSTER CLAW NEW LIGHT WITH LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCNL/WL-00 (4x7)** | 4.00x7.00 | **0.197** |
| **ILCNL/WL-01 (4.8x8.2)** | 4.80x8.20 | **0.281** |
| **ILCNL/WL-02 (6x10)** | 6.00x10.00 | **0.504** |
| **ILCNL/WL-03 (7x11.9)** | 7.00x11.90 | **0.750** |
| **ILCNL/WL-04 (8.6x14.5)** | 8.60x14.50 | **1.276** |

## LOBSTER CLAW NEW LIGHT WITHOUT LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCNL-00 (4x7)** | 4.00x7.00 | **0.163** |
| **ILCNL-01 (4.8x8.2)** | 4.80x8.20 | **0.236** |
| **ILCNL-02 (6x10)** | 6.00x10.00 | **0.427** |
| **ILCNL-03 (7x12)** | 7.00x12.00 | **0.680** |
| **ILCNL-04 (8.6x14.5)** | 8.60x14.50 | **1.160** |



*For samples or more details, please contact us.*

## LOBSTER CLAW NEW WITH FIXED LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCN/FL-00 (3.7x7.8)** | 3.70x7.80 | **0.168** |
| **ILCN/FL-01 (4.5x9.1)** | 4.50x9.10 | **0.285** |
| **ILCN/FL-02 (6x11.4)** | 6.00x11.40 | **0.574** |
| **ILCN/FL-03 (7x13.1)** | 7.00x13.10 | **0.875** |
| **ILCN/FL-04 (8.6x16.1)** | 8.60x16.10 | **1.406** |

## LOBSTER CLAW NEW WITH LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCN/WL-00** | | **0.233** |
| **ILCN/WL-01 (5.00x9.25)** | 5.00x9.25 | **0.340** |
| **ILCN/WL-02 (6.2x10.5)** | 6.20x10.50 | **0.576** |
| **ILCN/WL-03 (7.2x13)** | 7.20x13.00 | **0.813** |
| **ILCN/WL-04 (8.5x16)** | 8.50x16.00 | **1.552** |

## LOBSTER CLAW NEW WITHOUT LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCN-00 (4.4x8)** | 4.40x8.00 | **0.198** |
| **ILCN-01 (5.00x9.25)** | 5.00x9.25 | **0.299** |
| **ILCN-02 (6.2x10.5)** | 6.20x10.50 | **0.511** |
| **ILCN-03 (7.2x13)** | 7.20x13.00 | **0.722** |
| **ILCN-04 (8.5x16)** | 8.50x16.00 | **1.379** |

## LOBSTER CLAW OVAL WITH LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCO/WL-01 (4x10.1)** | 4.00x10.10 | **0.370** |
| **ILCO/WL-02 (4.3x11.7)** | 4.30x11.70 | **0.520** |
| **ILCO/WL-03 (5.2x13.6)** | 5.20x13.60 | **0.760** |

## LOBSTER CLAW OVAL WITHOUT LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILCO-01 (4x10.1)** | 4.00x10.10 | **0.360** |
| **ILCO-02 (4.3x11.7)** | 4.30x11.70 | **0.490** |
| **ILCO-03 (5.2x13.6)** | 5.20x13.60 | **0.720** |



*For samples or more details, please contact us.*

## LOBSTER CLAW WITH LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILC/WL-00 (2.7x7.0)** | 2.70x7.00 | **0.179** |
| **ILC/WL-01 (3.2x8)** | 3.20x8.00 | **0.240** |
| **ILC/WL-02 (4x10)** | 4.00x10.00 | **0.399** |
| **ILC/WL-02s (4x10)** | 4.00x10.00 | **0.454** |
| **ILC/WL-03 (4.3x11.5)** | 4.30x11.50 | **0.557** |
| **ILC/WL-04 (5.3x13.6)** | 5.30x13.60 | **0.844** |
| **ILC/WL-05 (6.2x16)** | 6.20x16.00 | **1.394** |
| **ILC/WL-06 (8x16)** | 8.00x16.00 | **2.053** |
| **ILC/WL-07 (9x18.3)** | 9.00x18.30 | **2.734** |

## LOBSTER CLAW WITHOUT LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ILC-00 (2.7x7.0)** | 2.70x7.00 | **0.150** |
| **ILC-01 (3.2x8)** | 3.20x8.00 | **0.207** |
| **ILC-02 (4x10)** | 4.00x10.00 | **0.357** |
| **ILC-02s (4x10)** | 4.00x10.00 | **0.400** |
| **ILC-03 (4.3x11.5)** | 4.30x11.50 | **0.493** |
| **ILC-04 (5.3x13.6)** | 5.30x13.60 | **0.778** |
| **ILC-05 (6.2x16)** | 6.20x16.00 | **1.316** |
| **ILC-06 (8x16)** | 8.00x16.00 | **1.960** |
| **ILC-07 (9x18.3)** | 9.00x18.30 | **2.560** |

## MAGNETIC BEAD CLASP



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **CMBC-12mm** | 12.00 | **5.770** |
| **CMBC-14mm** | 14.00 | **8.975** |
| **CMBC-16mm** | 16.00 | **12.715** |

## PIN WITH BALL



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **IPB-0.50x20** | 0.50x20 | **0.062** |
| **IPB-0.50x38** | 0.50x38 | **0.097** |
| **IPB-0.50x50** | 0.50x50 | **0.123** |

## PIN WITH HEAD



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TPH-0,55x20** | 0.55x20 | **0.051** |
| **TPH-0,55x38** | 0.55x38 | **0.099** |
| **TPH-0,60x38** | 0.60x38 | **0.119** |
| **TPH-0,65x25** | 0.65x25 | **0.094** |
| **TPH-0,65x38** | 0.65x38 | **0.144** |
| **TPH-0,70x20** | 0.70x20 | **0.087** |
| **TPH-0.90x11** | 0.90x11 | **0.079** |

*For samples or more details, please contact us.*

## SPLIT RING



TSR/T

| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TSR/T-04.5mm** | 4.50 | **0.057** |
| **TSR/T-05.0mm** | 5.00 | **0.077** |
| **TSR/T-05.5mm** | 5.50 | **0.086** |
| **TSR/T-06.0mm** | 6.00 | **0.110** |
| **TSR/T-06.5mm** | 6.50 | **0.124** |
| **TSR/T-08.0mm** | 8.00 | **0.228** |
| **ISR/T-05.0mm** | 5.00 | **0.090** |
| **ISR/T-06.0mm** | 6.00 | **0.140** |
| **ISR/T-07.0mm** | 7.00 | **0.220** |
| **ISR/T-08.0mm** | 8.00 | **0.320** |
| **ISR/T-09.0mm** | 9.00 | **0.400** |

## SPRING LOCK CLOSED VERTICAL LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ISL/CVL-05.0mm** | 5.00 | **0.113** |
| **ISL/CVL-05.5mm** | 5.50 | **0.131** |
| **ISL/CVL-06.0mm** | 6.00 | **0.164** |
| **ISL/CVL-07.0mm** | 7.00 | **0.228** |
| **ISL/CVL-08.0mm** | 8.00 | **0.299** |

## SPRING LOCK LIGHT CLOSED VERTICAL LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ISLL/CVL-05.0mm** | 5.00 | **0.070** |
| **ISLL/CVL-05.5mm** | 5.50 | **0.098** |
| **ISLL/CVL-06.0mm** | 6.00 | **0.131** |
| **ISLL/CVL-07.0mm** | 7.00 | **0.178** |

## SPRING LOCK LIGHT OPEN HORIZONTAL LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ISLL/OHL-05.0mm** | 5.00 | **0.063** |
| **ISLL/OHL-05.5mm** | 5.50 | **0.083** |
| **ISLL/OHL-06.0mm** | 6.00 | **0.164** |



*For samples or more details, please contact us.*

## SPRING LOCK LIGHT OPEN VERTICAL LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ISLL/OVL-05.0mm** | 5.00 | **0.063** |
| **ISLL/OVL-05.0mm ([Logo])** | 5.00 | **0.063** |
| **ISLL/OVL-05.5mm (2.40mm)** | 5.50 | **0.093** |
| **ISLL/OVL-05.5mm (2.55mm)** | 5.50 | **0.085** |
| **ISLL/OVL-05.5mm (2.90mm)** | 5.50 | **0.089** |
| **ISLL/OVL-06.0mm** | 6.00 | **0.097** |
| **ISLL/OVL-07.0mm** | 7.00 | **0.178** |

## SPRING LOCK OPEN HORIZONTAL LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ISL/OHL-05.0mm** | 5.00 | **0.114** |
| **ISL/OHL-05.5mm** | 5.50 | **0.137** |
| **ISL/OHL-06.0mm** | 6.00 | **0.164** |
| **ISL/OHL-07.0mm** | 7.00 | **0.182** |
| **ISL/OHL-08.0mm** | 8.00 | **0.384** |

## SPRING LOCK OPEN VERTICAL LINK



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **ISL/OVL-05.0mm** | 5.00 | **0.112** |
| **ISL/OVL-05.5mm** | 5.50 | **0.134** |
| **ISL/OVL-06.0mm** | 6.00 | **0.164** |
| **ISL/OVL-07.0mm** | 7.00 | **0.228** |
| **ISL/OVL-08.0mm** | 8.00 | **0.299** |
| **ISL/OVL-10.0mm** | 10.00 | **0.446** |

## SPRING LOCKS JUMBO



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TSLJ-02.5x11** | 2.50x11.00 | **0.873** |
| **TSLJ-03.0x12** | 3.00x12.00 | **1.377** |
| **TSLJ-03.0x14** | 3.00x14.00 | **1.640** |
| **TSLJ-03.5x13** | 3.50x13.00 | **2.340** |
| **TSLJ-03.5x16** | 3.50x16.00 | **2.400** |
| **TSLJ-04.0x15** | 4.00x15.00 | **2.730** |
| **TSLJ-04.0x18** | 4.00x18.00 | **3.630** |
| **TSLJ-04.0x20** | 4.00x20.00 | **3.950** |
| **TSLJ-04.0x25** | 4.00x25.00 | **4.500** |
| **TSLJ-04.5x25** | 4.50x25.00 | **5.675** |
| **TSLJ-05.0x30** | 5.00x30.00 | **8.120** |



*For samples or more details, please contact us.*

## SPRING LOCKS JUMBO SQUARE



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TSLJ/S-03.0x13** | 3.00x13.00 | **1.530** |

## SPRING LOCKS JUMBO WITH BELL



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TSLJ/B-03.0x12** | 3.00x12.00 | **3.800** |
| **TSLJ/B-03.0x14** | 3.00x14.00 | **3.950** |
| **TSLJ/B-03.5x13** | 3.50x13.00 | **4.220** |
| **TSLJ/B-04.0x15** | 4.00x15.00 | **5.550** |
| **TSLJ/B-04.0x18** | 4.00x18.00 | **6.650** |
| **TSLJ/B-04.0x20** | 4.00x20.00 | **7.030** |
| **TSLJ/B-04.0x25** | 4.00x25.00 | **9.200** |

## SPRING LOCKS JUMBO WITH CUP



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TSLJ/C-03.0x12** | 3.00x12.00 | **2.550** |
| **TSLJ/C-03.0x14** | 3.00x14.00 | **2.800** |

## SPRING LOCKS JUMBO WITH CYLINDER



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TSLJ/C-03.5x13** | 3.50x13.00 | **3.950** |
| **TSLJ/C-03.5x16** | 3.50x16.00 | **4.550** |
| **TSLJ/C-04.0x15** | 4.00x15.00 | **4.670** |

## SPRING LOCKS JUMBO WITH LINK ONE HOLE



| ITEM CODE | SIZE (mm) | WEIGHT/PC (gm) |
|---|---|---|
| **TSLJ/L1-03.0x12** | 3.00x12.00 | **1.893** |
| **TSLJ/L1-03.0x14** | 3.00x14.00 | **2.150** |
| **TSLJ/L1-03.5x13** | 3.50x13.00 | **2.980** |
| **TSLJ/L1-03.5x16** | 3.50x16.00 | **3.395** |
| **TSLJ/L1-04.0x15** | 4.00x15.00 | **4.050** |
| **TSLJ/L1-04.0x18** | 4.00x18.00 | **4.400** |
| **TSLJ/L1-04.0x20** | 4.00x20.00 | **5.895** |
| **TSLJ/L1-04.0x25** | 4.00x25.00 | **8.150** |
| **TSLJ/L1-05.0x30** | 5.00x30.00 | **10.800** |

*For samples or more details, please contact us.*